

謝 言

本論文は、お茶の水女子大学 人間文化研究科 人間環境学専攻 に在学中、同大学 理学部 生物学科 動物生理学講座 林研究室 において行った研究をまとめたものです。

本研究を遂行するに当たり、お茶の水女子大学 理学部 生物学科 林 正男 助教授 の終始変わらぬご懇切なご指導とご鞭撻を頂きましたことを心から感謝申し上げます。

日頃より、お茶の水女子大学 人間文化研究科 松本 黙武 教授、五十嵐 優 教授、富永 靖徳 教授、清水 碩 教授 には数多くのご指導を承りました。お茶の水女子大学 瀬野 信子 名誉教授 には、研究のご指導と励ましを頂戴いたしました。ここに深く感謝申し上げます。

伊藤ハム中央研究所の八藤後武美博士(元・筑波大学医学研究科)、お茶の水女子大学理学部生物学科林研究室の浜野 宝子さん、中島 尚美さんに実験の御協力、ご討論を頂いたことを感謝します。

また、本研究は、公益信託 林女性自然科学者研究助成基金からの助成を受けて行われました。ここに深く感謝申し上げます。

参考文献

1. 竹市雅俊、藤澤肇 編 「細胞コミュニティーの形成」 シリーズ分子生物学の進歩8、丸善、1989。
2. Takeichi, M.: The Cadherins: Cell-cell adhesion molecules controlling animal morphogenesis. *Development*, 102, 639-655, 1988.
3. 藤本大三郎 編 「細胞外マトリックスのバイオサイエンスとバイオテクノロジー」 アイビーシー、1991。
4. 坂倉照好 編 「細胞外マトリックスの動的機能」 細胞工学別冊、秀潤社、1990。
5. Yamada, K. M., and Kennedy, D. W.: Peptide inhibitors of fibronectin, laminin, and other adhesion molecules: unique and shared features. *J. Cell. Physiol.* 130, 21-28, 1987.
6. Preissner, K. T., Wassmuth, R., and Müller-Berghaus, G.: Physicochemical characterization of human S-protein and its function in the blood coagulation system. *Biochem. J.* 231, 349-355, 1985.
7. Preissner, K. T., and Müller-Berghaus, G.: S protein modulates the heparin-catalyzed inhibition of thrombin by antithrombin III. *Eur. J. Biochem.* 156, 645-650, 1986.
8. Preissner, K. T., and Müller-Berghaus, G.: Neutralization and binding of heparin by S protein/vitronectin in the inhibition of factor Xa by antithrombin III. *J. Biol. Chem.* 262, 12247-12253, 1987.
9. Declerck, P. J., De Mol, M., Alessi, M.-C., Baudner, S., Pâques, E.-P., Preissner, K. T., Müller-Berghaus, G., and Collen, D.: Purification and characterization of a plasminogen activator inhibitor 1 binding protein from human plasma. *J. Biol. Chem.* 263, 15454-15461, 1988.
10. Mimuro, J., and Loskutoff, D. J.: Purification of a protein from bovine plasma that binds to type 1 plasminogen activator inhibitor and prevents its interaction with extracellular matrix. *J. Biol. Chem.* 264, 936-939, 1989.
11. Dahlbäck, B., and Podack, E. R.: Characterization of human S protein, an inhibitor of the membrane attack complex of complement. demonstration of a free reactive thiol group. *Biochemistry* 24, 2368-2374, 1985.
12. Podack, E. R., Preissner, K. T., and Müller-Eberhard, H. J.: Inhibition of C9 polymerization within the SC5b-9 complex of complement by S-protein. *Acta. Path. Microbiol. Immunol. Scand. Sect. C. Suppl.* 284, 92, 89-96, 1984.
13. Holmes, R.: Preparation from human serum of an alpha-one protein which induces the immediate growth of unadapted cells in vitro. *J. Cell Biol.* 32: 297-308, 1967.

14. Hayman, E. G., Pierschbacher, M. D., Öhgren, Y., and Ruoslahti, E.: Serum spreading factor (vitronectin) is present at the cell surface and in tissues. *Proc. Natl. Acad. Sci. USA* 80, 4003-4007, 1983.
15. Barnes, D. W., and Silnutzer, J.: Isolation of human serum spreading factor. *J. Biol. Chem.* 258, 12548-12552, 1983.
16. Suzuki, S., Oldberg, Å., Hayman, E. G., Pierschbacher, M. D., and Ruoslahti, E.: Complete amino acid sequence of human vitronectin deduced from cDNA. Similarity of cell attachment sites in vitronectin and fibronectin. *EMBO J.* 4, 2519-2524, 1985.
17. Jenne, D., and Stanley, K. K.: Molecular cloning of S-protein, a link between complement, coagulation and cell-substrate adhesion. *EMBO J.* 4, 3153-3157, 1985.
18. Preissner, K. T., Holzhüter, S., Justus, C., and Müller-Berghaus, G.: Identification and partial characterization of platelet vitronectin: evidence for complex formation with platelet-derived plasminogen activator inhibitor-1. *Blood* 74, 1989-1996, 1989.
19. Hayashi, M., Akama, T., Kono, I., and Kashiwagi, H.: Activation of vitronectin (serum spreading factor) binding of heparin by denaturing agents. *J. Biochem.* 98, 1135-1138, 1985.
20. Barnes, D. W., Reing, J. E., Amos, B.: Heparin-binding properties of human serum spreading factor. *J. Biol. Chem.* 260, 9117-9122, 1985.
21. Gebb, C., Hayman, E. G., Engvall, E., and Ruoslahti, E.: Interaction of vitronectin with collagen. *J. Biol. Chem.* 261, 16698-16703, 1986.
22. Podack, E. R., Kolb, W. P., and Müller-Eberhard, H. J.: The SC5b-7 complex; formation, isolation, properties, and subunit composition. *J. Immunol.* 119, 2024-2029, 1977.
23. Hildebrand, A., Schweigerer, L., and Teschemacher, H.: Characterization and identification of heparin-induced nonopiod-binding sites for β -endorphin in human plasma. *J. Biol. Chem.* 263, 2436-2441, 1988.
24. Pytela, R., Pierschbacher, M. D., and Ruoslahti, E.: A 125/115kDa cell surface receptor specific for vitronectin interacts with the arginine-glycine-aspartic acid adhesion sequence derived from fibronectin. *Proc. Natl. Acad. Sci. USA* 82, 5766-5770, 1985.
25. Preissner, K. T.: Specific binding of plasminogen to vitronectin. Evidence for a modulatory role of vitronectin on fibrin(ogen)-induced plasmin formation by tissue plasminogen activator. *Biophys. Biochem. Res. Commun.* 168, 966-971, 1990.
26. Seiffert, D., and Loskutoff, D. J.: Evidence that type 1 plasminogen

- activator inhibitor binds to the somatomedin B domain of vitronectin. *J. Biol. Chem.* 266, 2824-2830, 1991.
27. Kost, C., Stüber, W., Ehrlich, H. J., Pannekoek, H., and Preissner, K. T.: Mapping of binding sites for heparin, plasminogen activator inhibitor-1, and plasminogen to vitronectin's heparin-binding region reveals a novel vitronectin-dependent feedback mechanism for the control of plasmin formation. *J. Biol. Chem.* 267, 12098-12105, 1992.
28. Chain, D., Kreizman, T., Shapira, H., and Shaltiel, S.: Plasmin cleavage of vitronectin. Identification of the site and consequent attenuation in binding plasminogen activator inhibitor-1. *FEBS Lett.* 285, 251-256, 1991.
29. Izumi, M., Shimo-Oka, T., Morishita, N., Ii, I., and Hayashi, M.: Identification of the collagen-binding domain of vitronectin using monoclonal antibodies. *Cell Struct. Funct.* 13, 217-225, 1988.
30. Ishikawa, M., and Hayashi, M.: Activation of the collagen-binding of endogenous serum vitronectin by heating, urea and glycosaminoglycans. *Biochim. Biophys. Acta* 1121, 173-177, 1992.
31. McGuire, E. A., Peacock, M. E., Inhorn, R. C., Siegel, N. R., and Tollesen D. M.: Phosphorylation of vitronectin by a protein kinase in human plasma. *J. Biol. Chem.* 263, 1942-1945, 1988.
32. Chain, D., Korc-Grodzicki, B., Kreizman, T., and Shaltiel, S.: Endogenous cleavage of the Arg-379-Ala-380 bond in vitronectin results in a distinct conformational change which buries Ser-378, its site of phosphorylation by protein kinase A. *Biochem. J.* 274, 387-394, 1991.
33. Podack, E. R., Kolb, W. P., and Muller-Eberhard, H. J.: The SC5b-7 complex; formation, isolation, properties, and subunit composition. *J. Immunol.* 119, 2024-2029, 1977.
34. Yatohgo, T., Izumi, M., Kashiwagi, H., and Hayashi, M.: Novel purification of vitronectin from human plasma by heparin affinity chromatography. *Cell Struct. Funct.* 13, 281-292, 1988.
35. Kitagaki-Ogawa, H., Yatohgo, T., Izumi, M., Hayashi, M., Kashiwagi, H., Matsumoto, I., Seno, N.: Diversities in vitronectins. Differences in molecular weight immunoreactivity and carbohydrate chains. *Biochem. Biophys. Acta* 1033, 49-56, 1990.
36. Nakashima, N., Miyazaki, K., Ishikawa, M., Yatohgo, T., Ogawa, H., Uchibori, H., Matsumoto, I., Seno, N., and Hayashi, M.: Vitronectin diversity in evolution but uniformity in ligand binding and size of the core polypeptide. *Biochim. Biophys. Acta* 1120, 1-10, 1992.
37. Kubota, K., Katayama, S., Matsuda, M., and Hayashi, M.: Three types of vitronectin in human blood. *Cell Struct. Funct.* 13, 123-128, 1988.

38. Conlan, M. G., Tomasini, B. R., Schultz, R. L., and Mosher, D. F.: Plasma vitronectin polymorphism in normal subjects and patients with disseminated intravascular coagulation. *Blood* 72, 185-190, 1988.
39. Kubota, K., Hayashi, M., Oishi, N., and Sakaki, Y.: Polymorphism of the human vitronectin gene causes vitronectin blood type. *Biochem. Biophys. Res. Commun.* 167, 1355-1360, 1990.
40. Tollefsen, D. M., Weigel, C. J., and Kabeer, M. H.: The presence of Methionine or Threonine at Position 381 in Vitronectin is Correlated with Proteolytic Cleavage at Arginine 379. *J. Biol. Chem.* 265, 9778-9781, 1990.
41. Izumi, M., Yamada, K. M., and Hayashi, M.: Vitronectin exists in two structurally and functionally distinct forms in human plasma. *Biochim. Biophys. Acta* 990, 101-108, 1989.
42. Hannan, G. N., Reilly, W., and McAuslan, B. R.: Mechanisms of serum protein binding and cell anchorage to immobilized serotonin and indole analogs. *Exp. Cell Res.* 176, 49-59, 1988.
43. Hayman, E. G., Pierschbacher, M. D., Suzuki, S., and Ruoslahti, E.: Vitronectin - A major cell attachment-promoting protein in fetal bovine serum. *Exp. Cell Res.* 160, 245-258, 1985.
44. Underwood, P. A., and Bennett, F. A.: A comparison of the biological activities of the cell-adhesive proteins vitronectin and fibronectin. *J. Cell Sci.* 93, 641-649, 1989.
45. Basara, M. L., McCarthy, J. B., Barnes, D. W., and Furcht, L. T.: Stimulation of haptotaxis and migration of tumor cells by serum spreading factor. *Cancer Res.* 45, 2487-2494, 1985.
46. Naito, M., Hayashi, T., Funaki, C., Kuzuya, M., Asai, K., Yamada, K., and Kuzuya, F.: Vitronectin-induced haptotaxis of vascular smooth muscle cells in vitro. *Exp. Cell Res.* 194, 154-156, 1991.
47. Hynes, R. O.: Integrins: a family of cell surface receptors. *Cell* 48, 549-554, 1987.
48. Hynes, R. O.: Integrins: versatility, modulation, and signaling in cell adhesion. *Cell* 69, 11-25, 1992.
49. Pierschbacher, M. D., and Ruoslahti, E.: Influence of stereochemistry of the sequence Arg-Gly-Asp-Xaa on binding specificity in cell adhesion. *J. Biol. Chem.* 262, 17294-17298, 1987.
50. Obara, M., Kang, M. S., and Yamada, K. M.: Site-directed mutagenesis of the cell-binding domain of human fibronectin: separable, synergistic sites mediate adhesive function. *Cell* 53, 649-657, 1988.

51. Nagai, T., Yamakawa, N., Aota, S., Yamada, S. S., Akiyama, S. K., Olden, K., and Yamada, K. M.: Monoclonal antibody characterization of two distinct sites required for function of the central cell-binding domain of fibronectin in cell adhesion, cell migration, and matrix assembly. *J. Cell Biol.* 114, 1295-1305, 1991.
52. Humphries, M. J., Komoriya, A., Akiyama, S. K., Olden, K., and Yamada, K. M.: Identification of two distinct regions of the type III connecting segment of human plasma fibronectin that promote cell type specific adhesion. *J. Biol. Chem.* 262, 6886-6892, 1987.
53. Kornberg, L. J., Earp, H. S., Turner, C. E., Prockop, C., and Juliano, R. L.: Signal transduction by integrins: increased protein tyrosine phosphorylation caused by clustering of β_1 integrins. *Proc. Natl. Acad. Sci. USA* 88, 8392-8396, 1991.
54. Guan, J.-L., Trevithick, J. E., and Hynes, R. O.: Fibronectin / integrin interaction induces tyrosin phosphorylation of a 120 kDa protein. *Cell Regul.* 2, 951-964, 1991.
55. Schwartz, M. A., Ingber, D. E., Lawrence, M., Springer, T. A., and Lechene, C.: Multiple integrins share the ability to induce elevation of intracellular pH. *Exp. Cell Res.* 195, 533-535, 1991.
56. Beckerle, M. C.: The adhesion plaque protein, talin, is phosphorylated in vivo in chicken embryo fibroblast exposed to a tumor-promoting phorbol ester. *Cell Regul.* 1, 227-236, 1990.
57. Pöllänen, J., Saksela, O., Salonen, E.-M., Andreasen, P., Nielsen, L. S., Danø, K., and Vaheri, A.: Distinct localizations of urokinase-type plasminogen activator and its type 1 inhibitor under cultured human fibroblasts and sarcoma cells. *J. Cell Biol.* 104, 1085-1096, 1987.
58. Pöllänen, J., Hedman, K., Nielsen, L. S., Danø, K., and Vaheri, A.: Ultrastructural localization of plasma membrane-associated urokinase-type plasminogen activator at focal contacts. *J. Cell Biol.* 106, 87-95, 1988.
59. Hébert, C. A., and Baker, J. B.: Linkage of extracellular plasminogen activator to the fibroblast cytoskeleton; colocalization of cell surface urokinase with vinculin. *J. Cell Biol.* 106, 1241-1247, 1988.
60. Tschoopp, J., Masson, D., Schafer, S., Peitsch, M., and Preissner, K. T.: The heparin binding domain of S-protein/vitronectin binds to complement components C7, C8, and C9 and perforin from cytolytic T-cells and inhibits their lytic activities. *Biochemistry* 27, 4103-4109, 1988.
61. Laemmli, U. K.: Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680-685, 1970.
62. Towbin, H., Staehelin, T., and Gordon, J.: Electrophoretic transfer of

- proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. Proc. Natl. Acad. Sci. USA 76, 4350-4354, 1979.
63. Sanders, L. C., Wang, C.-S., Walling, L. L., and Lord E. M.: A homolog of the substrate adhesion molecule vitronectin occurs in four species of flowering plants. Plant Cell 3, 629-635, 1991.
64. Wagner, V. T., Brian, L., and Quatrano, R. S.: Role of vitronectin-like molecule in embryo adhesion of the brown alga Fucus. Proc. Natl. Acad. Sci. USA 89, 3644-3648, 1992.
65. Zhu, J.-K., Shi, J., Bressan, R. A., and Hasegawa, P. M.: Purification and characterization of vitronectin from tobacco cells. Plant Physiol. supple. 99, 145, 1992.
66. Gratecos, D., Naidet, C., Astier, M., Thiery, J. P., and Semeriva, M.: Drosophila fibronectin: a protein that shares properties similar to those of its mammalian homologue. EMBO J. 7, 215-223, 1988.
67. Korc-Grodzicki, B., Tauber-Finkelstein, M., Chain, D., and Shaltiel, S.: Vitronectin is phosphorylated by a cAMP-dependent protein kinase released by activation of human platelets with thrombin. Biochem. Biophys. Res. Commun. 157, 1131-1138, 1988.
68. Korc-Grodzicki, B., Chain, D., Kreizman, T., and Shaltiel, S.: An enzymatic assay for vitronectin based on its selective phosphorylation by protein kinase A. Anal. Biochem. 188, 288-294, 1990.
69. Iii, M., Kurata, H., Itoh, N., Yamashina, I., and Kawasaki, T. : Molecular cloning and sequence analysis of cDNA encoding the macrophage lectin specific for galactose and N-acetylgalactosamine. J. Biol. Chem. 265, 11295-11298, 1990.
70. Fan, J. -Q., Kadokami, S., Yamamoto, K., Kumagai, H., and Tochikura, T. : Purification and characterization of endo- α -N-acetylgalactosaminidase from Alcaligenes sp.. Agric. Biol. Chem. 52, 1715-1723, 1988.
71. Thotakura, N. R., and Bahl, O. P. : Enzymatic deglycosylation of glycoproteins. Methods in Enzymology 138, 350-359, 1987.
72. Hayashi, K., Matsutera, E., and Ohba, Y. : A theoretical consideration of the abnormal behavior of histones on sodium dodecylsulfate gel electrophoresis. Biochim. Biophys. Acta 342, 185-194, 1974.
73. Ferguson, K. A. : Starch-gel electrophoresis-application to the classification of pituitary proteins and polypeptides. Metabolism 13, 985-1002, 1964.
74. Wyckoff, M., Rodbard, D., and Chrambach, A. : Polyacrylamide gel electrophoresis in sodium dodecyl sulfate-containing buffers using multiphasic buffer systems: properties of the stack, valid R_f -

- measurement, and optimized procedure. *Anal. Biochem.* 78, 459-482, 1977.
75. Furthmayr, H., and Timpl, R. : Characterization of collagen peptides by sodium dodecylsulfate-polyacrylamide electrophoresis. *Anal. Biochem.* 41, 510-516, 1971.
76. Creamer, L. K., and Richardson, T. : Anomalous behavior of bovine α_{s1} - and β -caseins on gel electrophoresis in sodium dodecyl sulfate buffers. *Arch. Biochem. Biophys.* 234, 476-486, 1984.
77. Sato, R., Komine, Y., Imanaka, T., and Takano, T. : Monoclonal antibody EMR1a/212D recognizing site of deposition of extracellular lipid in atherosclerosis. *J. Biol. Chem.* 265, 21232-21236, 1990.
78. Seiffert, D., Keeton, M., Eguchi, Y., Sawdey, M., and Loskutoff, D. J. : Detection of vitronectin mRNA in tissues and cells of the mouse. *Proc. Natl. Acad. Sci. USA* 88, 9402-9406, 1991.
79. Jenne, D., Hille, A., Stanley, K. K., and Huttner, W. B. : Sulfation of two tyrosine-residues in human complement S-protein (vitronectin). *Eur. J. Biochem.* 185, 391-395, 1989.
80. Suzuki, S., Pierschbacher, M. D., Hayman, E. G., Nguyen, K., Ohgren, Y., and Ruoslahti, E. : Domain structure of vitronectin. *J. Biol. Chem.* 259, 15307-15314, 1984.
81. 前田みね子、前田靖男、「粘菌の生物学」up Biology シリーズ 29、東京大学出版会、1978年。
82. Daniel, J. W., and Rusch, H. P. : The pure culture of *physarum polycephalum* on a partial defined soluble medium. *J. Gen. Microbiol.* 25, 47-59, 1961.
83. Harlow, E., and Lane, D. : Antibodies a laboratory manual. Cold Spring Harbor Laboratory pp.283-318, 1988.
84. Matsudaira, P. : Sequence from picomole quantities of proteins electroblotted onto polyvinylidene difluoride membranes. *J. Biol. Chem.* 262, 10035-10038, 1987.
85. Moos, M., Jr., Nguyen, N. Y., and Liu, T.-Y. : Reproducible high yield sequencing of proteins electrophoretically separated and transferred to an inert support. *J. Biol. Chem.* 263, 6005-6008, 1988.
86. 菅原潔、副島正美、「タンパク質の定量法」 生物化学実験法 7、学会出版センター、pp.93-130, 1990年。
87. Grinnell, F., Hays, D. G., and Minter, D. : Cell adhesion and spreading factor. *Exp. Cell Res.* 110, 175-190, 1977.
88. Nagano, Y., Hamano, T., Nakashima, N., Ishikawa, M., Miyazaki, K., and

- Hayashi, M. : Yolk vitronectin: purification and differences from its blood homologue in molecular size, heparin-binding, collagen-binding, and bound carbohydrate. *J. Biol. Chem.* in press.
89. Naidet, C., Sémeriva, M., Yamada, K. M., and Thiery, J. P.: Peptides containing the cell-attachment recognition signal Arg-Gly-Asp prevent gastrulation in *Drosophila* embryos. *Nature* 325, 348-350, 1987.
90. Springer, W. R., Cooper, D. N. W., and Barondes, S. H.: Discoidin I is implicated in cell-substratum attachment and ordered cell migration of *Dictyostelium discoideum* and resembles fibronectin. *Cell* 39, 557-564, 1984.
91. Schindler, M., Meiners, S., and Cheresh, D. A.: RGD-dependent linkage between plant cell wall and plasma membrane: consequences for growth. *J. Cell Biol.* 108, 1955-1965, 1989.
92. Brake, D. A., Debouck, C., and Biesecker, G.: Identification of an Arg-Gly-Asp (RGD) cell adhesion site in human immunodeficiency virus type 1 transactivation protein, tat. *J. Cell Biol.* 111, 1275-1281, 1990.
93. Marcantonio, E. E., and Hynes, R. O.: Antibodies to the conserved cytoplasmic domain of the integrin β_1 subunit react with proteins in vertebrates, invertebrates, and fungi. *J. Cell Biol.* 106, 1765-1772, 1988.
94. Nishida, T., Nakagawa, S., and Manabe, R.: Clinical evaluation of fibronectin eyedrops on epithelial disorders after herpetic keratitis. *Ophthalmology* 92, 213-216, 1985.
95. Edsall, J. T.: Stabilization of serum albumin to heat, and inactivation of the hepatitis virus. *Vox Sang.* 46, 338-340, 1984.
96. Spire, B., Dormont, D., Barré-Sinoussi, F., Montagnier, L., and Chermann, J. C.: Inactivation of lymphadenopathy-associated virus by heat, gamma rays, and ultraviolet light. *Lancet*, 1/8422, 188-189, 1985.
97. World Health Organization, WHO AIDS Series 2. 2nd ed. pp.1-11, 1989.
98. Hayashi, M., and Yamada, K. M.: Divalent cation modulation of fibronectin binding to heparin and to DNA. *J. Biol. Chem.* 257, 5263-5267, 1982.
99. Timpl, R., Rohde, H., Robey, P. G., Rennard, S. I., Foidart, J. M. and Martin, G. R. : Laminin - a glycoprotein from basement membranes. *J. Biol. Chem.* 254, 9933-9937, 1979.
100. Goodman, S. L., Aumailley, M., and von der Mark, H.: Multiple cell surface receptors for the short arms of laminin: $\alpha 1\beta 1$ integrin and RGD-dependent proteins mediate cell attachment only to domains III in murine tumor laminin. *J. Cell Biol.* 113, 931-941, 1991.

101. Mould, P. A., Komoriya, A., Yamada, K. M., and Humphries, M. J.: The CS5 peptide is a second site in the III CS region of fibronectin recognized by the integrin $\alpha_4\beta_1$. *J. Biol. Chem.* 266, 3579-3585, 1991.
102. Kowit, J. D., and Maloney, J.: Protein cleavage by boiling in sodium dodecyl sulfate prior to electrophoresis. *Anal. Biochem.* 123, 86-93, 1982.
103. Rittenhouse, J., and Marcus, F.: Peptide mapping by polyacrylamide gel electrophoresis after cleavage at aspartyl-prolyl peptide bonds in sodium dodecyl sulfate-containing buffers. *Anal. Biochem.* 138, 442-448, 1984.
104. Morrison, S. L., and Zipser, D.: Polypeptide products of nonsense mutations; termination fragments from nonsense mutations in the Z gene of the lac operon of Escherichia coli. *J. Mol. Biol.* 50, 350-371, 1970.
105. Miyamoto, Y., Izumi, M., Ishizaka, S., and Hayashi, M.: Adsorption of vitronectin in human serum onto plastics is augmented by sodium dodecyl sulfate. *Cell Struct. Funct.* 14, 151-162, 1989.
106. 加畠隆通、石橋康久、本村幸子、赤間高雄、八藤後武美、河野一郎、柏木平八郎、泉雅子、林正男 「ウサギ角膜上皮創傷治癒過程に及ぼすビトロネクチンの影響」 日本眼科学会雑誌、94、457-461、1990。
107. 加畠隆通、石橋康久、本村幸子、赤間高雄、八藤後武美、河野一郎、柏木平八郎、泉雅子、林正男 「角膜上皮疾患に対するビトロネクチン点眼の臨床応用の試み」 眼科臨床医報、84、1050-1053、1990。